

**« Cind incepem ingrijirea  
paliativa si cum planificam  
anticipat ingrijirea »**

Cazuri clinice

Oct 2018

# Model teoric utilizat

- analiza dosarului medical, antecedente, istoria recenta
- analiza situatiei actuale impreuna cu echipa medicala ( medic de familie sau spitalier) si paramedicala implicata
- evaluarea pacientului : simptomatologie, aspect psicho social si spiritual
- evaluarea familiei in ceea ce priveste intelegerea situatiei actuale si ceea ce ii ingijoreaza ; daca pacientul e in incapacitate de a da avizul intrebam familia ce ar fi dorit in situatia data
- decizie discutata in echipa cu informarea ulterioara a pacientului sau/si a familiei

# PERFORMANCE STATUS (PS)

KARNOFSKY

ECOG

100-90



0

90-70



1

70-50



2

50-20




3

<20




4



Raport UE publicat in mai 2017: cauzele de deces la 100.000 de locuitori

# Evolutia clinica in boli non oncologice versus cancer



Source: Murray, S.A. et al<sup>1</sup>

- Cancer (n=5)
- Organ failure (n=6)
- Physical and cognitive frailty (n=7)
- Other (n=2)

# Concluzii

- Nu exista un scenariu unic, a se adapta la situatie
- A prevedea prescriptii anticipate
- De preferat munca in echipa cu decizii colegiale caci adesea exista o problema etica